

# MSDS Report

Sample Description

& Model

Cylindrical Lithium-ion Battery 18650 2200mAh

**Applicant** 

FE FIRST NEW ENERGY CO.,LTD

Address

NO.39 Jingfa Road, Economy Development Zone, Yichun City, Jiangxi Province, P.R.China

> No.: MZIHIZWN26075716 Code: x2ph78z40




www.ponytest.com

CHotline 400-819-5688

北京实验室: (010) 82618116 青岛宝验室: (0532)88706866 天津实验室: (022)27360730

郑州实验室: (0371)69350670 杭州实验室: (0571)87219096 武汉实验室: (027)83997127

长春实验室: (0431) 85150908 上海实验室: (021) 64851999 大连实验室: (0411) 84650820 宁波实验室: (0574) 87736499 广州实验室: (020) 89224310



# **Material Safety Data Sheet**

Reference to ST/SG/AC.10/30/Rev.6 (GHS)

### Section 1 - Chemical Product and Company Identification

Chemical product identification

Sample Description: Cylindrical Lithium-ion Battery

Sample Model: 18650 2200mAh

Recommended Uses: N/A Restrictions on use: N/A

Supplier name: FE FIRST NEW ENERGY CO.,LTD

Address: NO.39 Jingfa Road, Economy Development Zone, Yichun City, Jiangxi Province,

P.R.China

Phone number: 0795-3666188

FAX: 0795-3551663

E-mail:py\_kk1985@126.com

Emergency phone number: 0795-3666188

### Section 2 - Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

CAS# 1333-86-4

Classification according to GHS

Carcinogenicity (2)

Specific target organ toxicity, repeated exposure (1) (lung)

Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):



Date: 01.06.2016

Pony Testing International Group

H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure (lung)

#### Precautionary statement(s):

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

#### Response:

P308 + P313 IF exposed or concerned: Get medical advice.

P314 Get medical advice if you feel unwell.

#### Storage

P405 Store locked up.

#### Disposal:

P501 Contents handling to approved waste treatment plants.

#### CAS# 616-38-6

#### Classification according to GHS

Flammable liquids (2)

Specific target organ toxicity, single exposure; Narcotic effects (3)

Reproductive toxicity (2)

#### Label elements

Hazard pictogram(s):







Signal word:

Danger

#### Hazard statement(s):

H225 Highly flammable liquid and vapour

H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

#### Precautionary statement(s):

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

CHotline 400-819-5688

天津实验室: (022)27360730 大连实验室: (0411)84650820 杭州实验室: (0571)87219096 武汉实验室: (027)83997127 新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 厦门实验室: (0592)5568048



Date: 01.06.2016

Page 3 of

Pony Testing International Group

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P261 Avoid breathing gas, mist, vapours and spray.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P370 + P378 In case of fire: Use the appropriate media put out the fire.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor, if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice.

#### Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Contents handling to approved waste treatment plants.

#### CAS# 7429-90-5

#### Classification according to GHS

Specific target organ toxicity, repeated exposure (1) (Lung)

Hazardous to the aquatic environment, long-term hazard (4)

#### Label elements

Hazard pictogram(s):



Signal word:

Danger

#### Hazard statement(s):

H372 Causes damage to organs through prolonged or repeated exposure (Lung)

H413 May cause long lasting harmful effects to aquatic life

Date: 01.06.2016

Page 4 of

#### Precautionary statement(s):

#### Prevention:

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

#### Response:

P314 Get medical advice if you feel unwell.

#### Storage

None.

#### Disposal:

P501 Contents handling to approved waste treatment plants.

#### CAS# 7440-50-8

#### Classification according to GHS

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Specific target organ toxicity, repeated exposure (1) (liver)

Hazardous to the aquatic environment, long-term hazard (3)

#### Label elements

#### Hazard pictogram(s):





#### Signal word:

Danger

#### Hazard statement(s):

H335 May cause respiratory irritation

H372 Causes damage to organs through prolonged or repeated exposure (liver)

H412 Harmful to aquatic life with long lasting effects

#### Precautionary statement(s):

#### Prevention:

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust.


P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

#### Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.



P312 Call a POISON CENTER or doctor, if you feel unwell.

#### Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Contents or container handling to approved waste treatment plants.

#### CAS# 7440-02-0

Pony Testing International Group

#### Classification according to GHS

Sensitisation, respiratory (1, 1A, 1B)

Sensitisation, skin (1, 1A, 1B)

Carcinogenicity (2)

Specific target organ toxicity, repeated exposure (1) (respiratory system)

Hazardous to the aquatic environment, long-term hazard (4)

#### Label elements

Hazard pictogram(s):





Signal word:

Danger

#### Hazard statement(s):

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

H413 May cause long lasting harmful effects to aquatic life

#### Precautionary statement(s):

#### Prevention:

P284 [In case of inadequate ventilation] wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

#### Response:



Date: 01.06.2016

Page 6 of 16

Pony Testing International Group

P304 + P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P313 IF exposed or concerned: Get medical advice.

P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor.

P314 Get medical advice if you feel unwell.

#### Storage

P405 Store locked up.

#### Disposal:

P501 Contents or container handling to approved waste treatment plants.

#### Other hazards


Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

### Section 3 - Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)	
Lithium Manganese Nickel And Cobalt			36.6	
Polyvinylidene fluoride resin	24937-79-9	607-458-6	0.7	
Carbon black	1333-86-4	215-609-9	0.7	
Graphite	7782-42-5	231-955-3	16.2	
Rubber, styrene-butadiene, fume	61789-96-6	612-382-1	0.4	
Cellulose, carboxymethyl ether	9000-11-7	618-326-2	0.2	
1,3-Dioxolan-2-one	96-49-1	202-510-0	3.3	
Carbonic acid, dimethyl ester	616-38-6	210-478-4	6.7	
Carbonic acid, ethyl methyl ester	623-53-0	613-014-2	1.1	



Polypropylene	9003-07-0	618-352-4	2.7
Aluminum	7429-90-5	231-072-3	4.2
Copper	7440-50-8	231-159-6	8.2
Nickel	7440-02-0	231-111-4	0.3
Iron	7439-89-6	231-096-4	16
Phosphate(1-), hexafluoro-, lithium	21324-40-3	244-334-7	1.7
Polyvinyl chloride resin	9002-86-2		0.6
Poly(ethylene terephthalate)	25038-59-9	607-507-1	0.4

#### Section 4 - First Aid Measures

#### Description of first aid measures

General information No special measures required.

#### After eye contact

Pony Testing International Group

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

#### After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

#### After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

#### After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: No data available.

### Section 5 - Fire Fighting Measures



Date: 01.06.2016

Page 8 of

Pony Testing International Group

#### Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry powder, CO2.

#### Unsuitable extinguishing media:

No data available.

#### Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

#### Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

#### Section 6 - Accidental Release Measures

#### Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

#### Protective equipment:

No data available.

#### **Emergency procedures:**

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

#### **Environmental precautions:**

Do not allow material to be released to the environment without proper governmental permits.

#### Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7 - Handling and Storage

www.ponytest.com

@Hotline 400-819-5688

青岛实验室: (0532)88706866 哈尔滨实验室: (0451)88104561 宁波实验室: (0574)87736499 广州实验室: (020)89224310

北京实验室: (010) 82618116 长春实验室: (0431) 85150908 上海实验室: (021) 64851999 深圳实验室: (0755) 26050909 天津实验室: (022)27360730 大连实验室: (0411)84650820 杭州实验室: (0571)87219096 武汉实验室: (027)83997127

新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 厦门实验室: (0592)5568048



Page 9 of

Date: 01.06.2016

#### Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

#### Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use


No data available.

### Section 8 - Exposure Controls/Personal Protection

#### Control parameters

CAS No.	ACGIH	NIOSH	OSHA
24937-79-9	N/A	N/A	N/A
1333-86-4	TLV-TWA 3.5mg/m <sup>3</sup>	REL-TWA 3.5mg/m <sup>3</sup>	PEL-TWA 3.5mg/m <sup>3</sup>
7782-42-5	TLV-TWA 2mg/m <sup>3</sup>	REL-TWA 2.5mg/m <sup>3</sup>	PEL-TWA 15mppcf PEL-TWA 20mppcf
61789-96-6	N/A	N/A	N/A
9000-11-7	N/A	N/A	N/A
96-49-1	N/A	N/A	N/A
616-38-6	N/A	N/A	N/A
623-53-0	N/A	N/A	N/A
9003-07-0	N/A	N/A	N/A
7429-90-5 TLV-TWA 10mg/m <sup>3</sup> TLV-TWA 5mg/m <sup>3</sup>		REL-TWA 2mg/m <sup>3</sup> REL-TWA 5mg/m <sup>3</sup> REL-TWA 10mg/m <sup>3</sup>	PEL-TWA 5mg/m <sup>3</sup> PEL-TWA 15mg/m <sup>3</sup>

新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 厦门实验室: (0592)5568048



7440-50-8 TLV-TWA 0.2mg/m <sup>3</sup> TLV-TWA 1mg/m <sup>3</sup>		REL-TWA 1mg/m <sup>3</sup> REL-TWA 0.1mg/m <sup>3</sup>	PEL-TWA 0.1mg/m <sup>3</sup> PEL-TWA 1mg/m <sup>3</sup>	
7440-02-0	TLV-TWA 1.5mg/m <sup>3</sup>	REL-TWA 0.015mg/m <sup>3</sup>	PEL-TWA 1mg/m <sup>3</sup>	
7439-89-6	N/A	N/A	N/A	
21324-40-3	N/A	N/A	N/A	
9002-86-2	N/A	N/A	N/A	
25038-59-9	N/A	N/A	N/A	

#### Appropriate engineering controls:

Pony Testing International Group

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

#### Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

### Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Green. Colour: Cylindrical. Physical State: Not available. Odour: Not available. Odour threshold: Not available. pH: Not available. Melting point/freezing point:




www.ponytest.com

CHotline 400-819-5688

北京实验室: (010) 82618116 长春实验室: (0431) 85150908 上海实验室: (021) 64851999 深圳实验室: (0755) 26050909 青岛实验室: (0532)88706866 哈尔滨实验室: (0451)88104561 宁波实验室: (0574)87736499 广州实验室: (020)89224310

天津实验室: (022)27360730 大连实验室: (0411)84650820 杭州实验室: (0571)87219096 武汉实验室: (027)83997127 新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 厦门实验室: (0592)5568048

DCNY



Initial boiling point and boiling range: Not available. Flash Point: Not available. Evaporation rate: Not available. Flammability (solid, gas): Not available. Explosion Limits (vol% in air): Not available. Not available. Vapour pressure, kPa at 20°C: Vapor density: Not available. Density/Relative density (water = 1): Not available. Not available. Solubility(ies): Not available. Partition coefficient: n-octanol/water: Not available. Auto-ignition temperature: Not available. Decomposition temperature: Not available. Viscosity:

Other information:

Pony Testing International Group

3.6V Voltage

**Electric capacity** 2200mAh

### Section 10 - Stability and Reactivity

Reactivity: No data available. Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible

materials.

Incompatibilities materials: Oxidizing agents, acid, base.


Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide

fumes.

## Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50			
24937-79-9	No data available.			
1333-86-4	LD50 Rat (oral): 15400mg/kg			
7782-42-5	No data available.			



61789-96-6	No data available.			
9000-11-7	No data available.			
96-49-1	LD50 Rat (oral): 10g/kg			
616-38-6	LD50 Rat (oral): 6400-12800mg/kg; LC50 Rat (Inhalation: Vapours) ≥140 mg/L			
623-53-0	No data available.			
9003-07-0	No data available.			
7429-90-5	No data available.			
7440-50-8	No data available.			
7440-02-0	LD50 Rat (oral): ≥5000mg/kg			
7439-89-6	No data available.			
21324-40-3	No data available.			
9002-86-2	No data available.			
25038-59-9	No data available.			

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available. Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available. Skin: No data available.

Pony Testing International Group

Ingestion: No data available. Inhalation: No data available.

### Section 12 - Ecological Information

Ecological Toxicity: No data available.

DCNY

新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 厦门实验室: (0592)5568048





Date: 01.06.2016

Page 13 of

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

### Section 13 - Disposal Considerations

#### Disposal methods:

Pony Testing International Group

#### Recommendation:

Consult state, local or national regulations to ensure proper disposal.

#### Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

### Section 14 - Transport Information

UN Number	
IATA	UN3480
IMDG	UN3480
UN Proper shipping name	
IATA	Lithium ion batteries
IMDG	LITHIUM ION BATTERIES
Transport hazard class(es)	
IATA	9
IMDG	9
Packing group	
IATA	N/A
IMDG	N/A
Packaging Sign	
IATA	N/A
IMDG	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.



Date: 01.06.2016

Page 14 of

DCNY

Pony Testing International Group

Transport information: The Cylindrical Lithium-ion Battery 18650 2200mAh has passed the test UN38.3, according to the report ID: I04013020921Db and I04013020921Db~1. According to the Packing Instruction 965 section II of IATA DGR 57th Edition for transportation.

According to the special provision 188 of IMDG (37-14). The products are not subject to dangerous goods.

Separate batteries to prevent short-circuiting, and they should be packed in strong package during transport. Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions. Keep away from high temperature and open flames.


Transport Fashion: By air, by sea.

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
24937-79-9	Listed	Listed	Listed DSL	Listed
1333-86-4	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
61789-96-6	Listed	Listed	Listed DSL	Listed
9000-11-7	Listed	Listed	Listed DSL	Listed
96-49-1	Listed	Listed	Listed DSL	Listed
616-38-6	Listed	Listed	Listed DSL	Listed
623-53-0	Listed	Listed	Listed DSL	Listed
9003-07-0	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
7440-02-0	Listed	Listed	Listed DSL	Listed

新疆实验室: (0991)6684186 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 夏门实验室: (0592)5568048



Pony Testing International Group

7439-89-6	Listed	Listed	Listed DSL	Listed
21324-40-3	Listed	Listed	Listed DSL	Listed
9002-86-2	Listed	Listed	Listed DSL	Listed
25038-59-9	Listed	Listed	Listed DSL	Listed

### Section 16 - Other Information

Issue Time: 2016-01-06

Issue Department: Technical department

Modification record: Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists); NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average); STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);

PC-TWA: (Permissible concentration-short time exposure limit);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association); IMDG: (International Maritime Dangerous Goods); DCNY



Report No.: MZIHIZWN26075716~1 Date: 01.06.2016

Page 16 of 16

DCNY

Pony Testing International Group

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model

Regulations);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA); DSL: (the Domestic Substances List of Canada); NDSL: (the Non-domestic Substances List of Canada)

\*\*\*End of report\*\*\*