



LW MEASUREMENTS LLC



Category	NTEP Certificate Number: 19-137		
Model	FBS-W/FB-W		
Model Suffix			
Casing			
Capacity			
2nd Capacity			
Resolution(lb)			
Resolution(kg)			
Resolution(oz)			
No. of Display Divisions			
No. of Internal Resolutions			
Accuracy			
Platter Size(inch)	16 x 20	18 x 18	18 x 24
Draft Shield			
Scale Dimensions(inch)	20 x 21 x 33	18 x 23 x 33	24 x 23 x 33
LCD Height(inch)			
Beeper			
Auto Backlight			
Auto Shut Off			
Auto Hold			
Unit Switching			
AD Processor			
AD Update Speed			
Settling Time			
Calibration Software			
No of Keys	7		
Memory			
Counting Function			
RS232C			
USB			
Battery			
AC Adapter			
Shipping Weight(lb)	45	45	55
Pieces per master ctn			
Units per pallet	22	22	15
Cabel Length (ft)	/		



NTEP Certificate Number: 19-137

FBS-C/FB-C

500				
Stainless steel/cast steel				
500lb				
No				
0.1lb				
0.05kg				
2 oz				
5000				
2 m				
+/-2d				
24 x 24	16 x 20	18 x 18	18 x 24	24 x 24
No				
24 x 29 x 33	20 x 21 x 33	18 x 23 x 33	24 x 23 x 33	24 x 29 x 33
1.34				
Yes				
Yes,Selectable				
Yes,Selectable				
No				
kg, lb oz				
21 bit A/D				
7.5 Hz				
<2s				
AnyCal				
18				
Zero				
Yes				
Yes				
Yes				
7.4V 2200mAh Rechargeable				
Yes, 12VDC				
60	45	45	55	60
1				
13	22	22	15	13
/				



FBX-W	FBX-C
wash down	
Stainless steel	
/	/
No	
/	/
/	/
/	/
9.9 x 6.8 x 5.1	
7	18
4.5	4.5
6	6
144	144
6	

